

CTVB-5311

Miniature Camera



[Features]

- 1/3" Super HAD I High Resolution Color CCD
- High Resolution : 480TVL (CTVB-5311), 380TVL (CTVB-3311)
- Min. Illumination : 0.5 Lux
- Vari-Focal Fixed Iris Lens (4.0~9.0mm / F1.6, 9.0~22mm / F1.6)
- Excellent Color Rolling Suppression
- Low Power Consumption
- Weatherproof (IP66)

[Specifications]

ITEM	CTVB-5311	CTVB-3311
Power Consumption	AC24V/DC12V (Max.110mA/130mA)	AC24V/DC12V (Max.110mA/130mA)
Image Sensor	1/3" Super HAD I High Resolution Color CCD	
Numbers of Pixel	NTSC : (H)768×(V)494 PAL : (H)752×(V)582	NTSC : (H)510×(V)492 PAL : (H)500×(V)582
Scanning	NTSC : 525 Lines 2:1 Interlace, PAL : 625 Lines 2:1 Interlace	
Synchronization	Internal	
Horizontal Frequency	NTSC : 15.734KHz, PAL : 15.625KHz	
Vertical Frequency	NTSC : 59.94Hz, PAL : 50Hz	
H.Resolution	480 TV lines	380 TV lines
Video out Level	VBS 1.0Vp-p (75Ω Load)	
S/N	More than 48dB (AGC Off)	
IRIS Control	Electronic Shutter Control	
Shutter Speed	1/60, 1/50 ~ 1 / 100,000sec.	
Min. Illumination	0.5 Lux	
LENS	Vari-Focal Fixed Iris Lens	
Operating Temp	-10℃ ~ +50℃	
Operating Humidity	90% RH max.	

[Dimensions]

